

The background of the advertisement features a dark, industrial setting with a large fire burning in the upper right corner. In the foreground, a complex metal valve assembly is visible, with a large flame emerging from a pipe on the right side. A blue and white diagonal stripe is present in the top left corner.

OFFSHORE & MARINE TAPES

The right tape for every situation

BUYER'S GUIDE

T-SS
Safety Suppliers

INTRODUCTION

Globally, there is a wide range of safety tapes available for many different offshore and onshore applications. Deciding which tape is the best for your situation can be a challenging task, given the many different types of tapes on the market today. Is the tape you are looking at the right one to prevent accidents, and are you applying the tape to the surface correctly? This Buyer's Guide serves as a source of information for anyone looking to buy safety tapes. We will explain in-depth what each tape does, when you need to use it and how you can apply it correctly.

T-ISS and solastape.com have a wide range of safety tapes on stock, each with different characteristics and applications. In this Buyer's Guide, you will learn more about each tape; application examples, suitable substrates, application images and the product's certificates when applicable.

All these tapes are developed to prevent accidents, to protect you and your personnel, to mark locations, to suppress corrosion or to guide the way in the dark.

In this Buyer's Guide we have divided the tapes into five different categories:

- Anti-splash and anti-leak tapes
- Reflective tapes and marking tapes
- Insulation tapes
- Anti-corrosion tapes
- Additional tapes and specials

CONTENTS

The right tape for every situation

Anti-splash and anti-leak tapes

- Spray Stop tape 4
- Spray Stop tape 50+ 5
- Spray Control tape. 6
- Drip Stop tape 7
- Pipe Repair tape 8

Reflective and marking tapes

- SOLAS Retro Reflective tape 9
- Safety Marking tape Reflective 10
- Anti-Slip tape 11
- Floor Marking tape 12
- Light Line Photoluminescent tape 13
- T-ISS LightLine tape PVC. 14
- Light Line stickers 15
- Pipe Marking tapes 18

Insulation tapes

- Heat Stop Biosoluble tape 22

Anti-corrosion tapes

- Corrosion Stop Zinc tape 23
- Rust Stop Petro tape 24

Additional tapes and specials

- Security Seal tape 25
- Hatch Cover tape 26
- Barrier tape 27
- Foam Mounting tape 28
- Emergency Leak and Seal Repair Kit (ELS Kit) . . . 29

About T-ISS Safety Suppliers 30



Spray Stop Anti-Splash tape

Category: Anti-splash and anti-leak tapes

What is it?

T-ISS Spray Stop is one of our best known products, and for a reason; Spray Stop is the best, most certified anti-splashing tape on the market. Spray Stop is a high-tech laminated multilayer aluminum tape that is designed to prevent dangerous spray-outs in tubing systems. Like you can imagine, spray-outs in engine rooms for example, can be highly dangerous. According to the SOLAS regulations, appropriate protection needs to be installed on these tubing systems. Spray Stop meets these regulations which gives you a quick and safe solution that many people and organizations around the globe use and appreciate.



When to use it?

Spray Stop is a simple choice when you want to meet the SOLAS regulations according to FO, LO, Hydraulics and other tubing / piping systems that contain pressure up to 15 bar. Also, Spray Stop is an ideal product when you want to protect tubing systems outside of engine rooms against spray-outs or leakages of hazardous liquids.

Certificates

T-ISS Spray Stop holds several highly appraised certificates; Bureau Veritas (BV), Lloyd's Register, Det Norske Veritas (DNV), Registro Italiano Navale (RINA), Nippon Kaiji Kyokai (ClassNK), American Bureau of Shipping (ABS), Korean Register (KR) and China Classification Society (CCS). These certificates are also applicable for Spray Stop 50+.



| Article number | Description | Dimensions | Weight | Packing Unit | IMPA |
|----------------|-----------------|----------------|---------|--------------|--------|
| SPST0035 | Spray Stop Tape | 35 mm x 10 m | 0,13 kg | 58 rolls | 871801 |
| SPST0050 | Spray Stop Tape | 50 mm x 10 m | 0,19 kg | 40 rolls | 871802 |
| SPST0075 | Spray Stop Tape | 75 mm x 10 m | 0,28 kg | 24 rolls | 871808 |
| SPST0100 | Spray Stop Tape | 100 mm x 10 m | 0,38 kg | 20 rolls | 871804 |
| SPST0140 | Spray Stop Tape | 140 mm x 10 m | 0,53 kg | 14 rolls | 871803 |
| SPST0250 | Spray Stop Tape | 250 mm x 10 m | 0,94 kg | 8 rolls | 871807 |
| SPST0500 | Spray Stop Tape | 500 mm x 10 m | 1,88 kg | 4 rolls | 871805 |
| SPST1000 | Spray Stop Tape | 1000 mm x 10 m | 3,75 kg | 2 rolls | 871806 |

Spray Stop Anti-Splash tape 50+

Category: Anti-splash and anti-leak tapes

What is it?

T-ISS Spray Stop has a slight difference compared to the regular version. Standard Spray Stop will hold pressure up to 15 bar. Spray Stop 50+ extends this limit to 50 bar. This means Spray Stop 50+ will be particularly suitable for tubing systems that transport liquids under high pressure. Of course Spray Stop 50+ can be used under the same circumstances as our standard Spray Stop tape.



When to use it?

Spray Stop 50+ is particularly suitable for tubing systems that transport liquids under high pressure. Spray Stop 50+ can be used in the same circumstances as standard Spray Stop, but will hold pressure up to 50 bar instead of the standard 15 bar limit standard Spray Stop has.



| Article number | Description | Dimensions | Weight | Packing Unit | IMPA |
|----------------|---------------------|----------------|---------|--------------|--------|
| SPST50035 | Spray Stop Tape 50+ | 35 mm x 10 m | 0,19 kg | 58 rolls | 871801 |
| SPST50050 | Spray Stop Tape 50+ | 50 mm x 10 m | 0,27 kg | 40 rolls | 871802 |
| SPST50075 | Spray Stop Tape 50+ | 75 mm x 10 m | 0,40 kg | 24 rolls | 871808 |
| SPST50100 | Spray Stop Tape 50+ | 100 mm x 10 m | 0,54 kg | 20 rolls | 871804 |
| SPST50140 | Spray Stop Tape 50+ | 140 mm x 10 m | 0,76 kg | 14 rolls | 871803 |
| SPST50250 | Spray Stop Tape 50+ | 250 mm x 10 m | 1,35 kg | 8 rolls | 871807 |
| SPST50500 | Spray Stop Tape 50+ | 500 mm x 10 m | 2,70 kg | 4 rolls | 871805 |
| SPST51000 | Spray Stop Tape 50+ | 1000 mm x 10 m | 5,40 kg | 2 rolls | 871806 |

Spray Control tape

Category: Anti-splash and anti-leak tapes

What is it?

Spray Control tape is very similar to Spray Stop tape but differs in several points. First of all, the product is mainly used to protect chemical installations against spray-outs. Spray Control is a product that allows you to upgrade your safety situation according to pipeline systems on chemical plants. The tape prevents damages towards people, machinery and other pipes present in the area. Spray Control can protect chemical tubing systems that have a temperature between $-30\text{ }^{\circ}\text{C}$ and $75\text{ }^{\circ}\text{C}$, and will handle pressure up to 35 bar.



When to use it?

You should consider Spray Control when you want to protect tubing systems in chemical installations. Spray Control will prevent accidents and leakages from happening, which will protect all surrounding people from accidents. Spray Control is suitable for tubing systems that have a content temperature of $-30\text{ }^{\circ}\text{C}$ up to $75\text{ }^{\circ}\text{C}$.



| Article number | Description | Dimensions | Weight | Thickness |
|----------------|--------------------|---------------|--------|-----------|
| SPCT0050 | Spray Control Tape | 50 mm x 10 m | 0,3 kg | 1 mm |
| SPCT0100 | Spray Control Tape | 100 mm x 10 m | 0,5 kg | 1 mm |
| SPCT0150 | Spray Control Tape | 150 mm x 10 m | 0,8 kg | 1 mm |
| SPCT0300 | Spray Control Tape | 300 mm x 10 m | 1,5 kg | 1 mm |

Drip Stop Tape - None leak tape

Category: Insulation tapes


What is it?

Drip Stop is a very versatile product that can be used for various applications; an all-rounder. It's a very compact product that doesn't require any additional tools or products to use. The product itself can be installed without creating a mess; the product sticks to itself. So, it's easy to install and a versatile product. But what does it do? That's where Drip Stop tape excels; the product does several things. It will protect installations from leaks and splashing, will seal tubing that contains air or powders, but is also able to protect objects from corrosion or exposure to salts, water or weather conditions. It can be used to protect and insulate cables and will be a great help when it comes down to daily, versatile maintenance jobs.



When to use it?

Drip Stop is a great all-rounder and an ideal product to have in your toolbox or workshop. It's a compact product that's very easy and quick to install. Drip Stop will protect against leakages, insulates against heat, prevents corrosion and much more.



| Article number | Description | Dimensions | Weight | Thickness | IMPA |
|----------------|----------------|--------------|--------|-----------|--------|
| DST025 | Drip Stop Tape | 25 mm x 10 m | 0,1 kg | 0,1 mm | 812491 |
| DST038 | Drip Stop Tape | 38 mm x 10 m | 0,2 kg | 0,1 mm | 812492 |
| DST050 | Drip Stop Tape | 50 mm x 10 m | 0,3 kg | 0,1 mm | 812493 |



Pipe Repair tape

Category: Anti-splash and anti-leak tapes

What is it?

In case of unforeseen or spontaneous leakages on board of a vessel, you need to have a product that solves these problems in a quick and easy way. T-ISS Pipe Repair is a compact package that contains all necessary items to repair said leakages in an instant up to 50 bar pressure. The kit contains a repair tape, a putty, a set of protective gloves, a piece of sandpaper and an instruction manual. The versatility of this product excels in the fact that it is applicable under water, has a quick setting time, and only needs water to activate. In short; Pipe Repair is a safe, compact and cost-effective solution for unforeseen leakages on-board.



When to use it?

Pipe Repair is a product that comes in handy in a lot of occasions. The product is ideal for solving unforeseen leakages on the fly. It is a multi-purpose product that seals leaks, is a reinforcement for tubing systems and will give an object electrical protection. All in all; Pipe Repair is a great product to have in your toolbox.

Certificates

T-ISS Pipe Repair tape holds the Water Regulations Advisory Scheme (WRAS) certificate.




| Article number | Description | Dimensions | Weight | Packaging | IMPA |
|----------------|---------------------|-----------------|--------|-----------|--------|
| PRT002 | Pipe Repair Tape 2" | 50 mm x 1,5 m | 0,1 kg | 40 pcs | 812364 |
| PRT003 | Pipe Repair Tape 3" | 75 mm x 2,7 m | 0,2 kg | 40 pcs | 812365 |
| PRT004 | Pipe Repair Tape 4" | 100 mm x 3,05 m | 0,4 kg | 40 pcs | 812363 |

Solasflex Retro Reflective tape

Category: Reflective and marking tapes

What is it?

SolaxFlex tape, is a reflecting tape that uses an encapsulated lens sheeting. The lens ensures that the product is highly reflective over a wide range of entrance angles, whether dry or wet. This sheeting has a flexible and highly transparent film. Combined, these components result in an extremely bright reflection; one of the highest intensities available on the market. The product is praised for its long durability, high brightness and anti-delamination.



When to use it?

Retro Reflective tape is mainly used to reflectorize SOLAS life support equipment. Examples of these are life vests, life boats and life rafts. By applying Retro Reflective tape the equipment will be highly visible when for example helicopter lights are used to search for these objects. Also, Retro Reflective tape can be both pasted and stitched to surfaces, which makes it a highly versatile product.

Certificates

T-ISS Retro Reflective tape holds several highly appraised certificates:

- Det Norske Veritas (DNV)
- US Coast Guard (USCG)
- Wheelmark
- Russian Register (RR)
- Korean Register



| Article number | Description | Dimensions | Weight | IMPA | ISSA |
|----------------|--|------------------|---------|--------|---------|
| SRTA0050 | SolasFlex Retro Reflective Tape Adhesive | 50 mm x 45,7 m | 1,2 kg | 330189 | 4700704 |
| SRTA1220 | SolasFlex Retro Reflective Tape Adhesive | 1220 mm x 45,7 m | 35,7 kg | - | - |
| SRTS0050 | SolasFlex Retro Reflective Tape Stitchable | 50 mm x 45,7 m | 1,0 kg | - | - |
| SRTS1220 | SolasFlex Retro Reflective Tape Stitchable | 1220 mm x 45,7 m | 27,7 kg | - | - |

Safety Marking tape Reflective

Category: Reflective and marking tapes

What is it?

The most striking product in our range of marking tapes is Safety Marking tape Reflective. This product is highly effective when it comes to providing safety and protection. When compared to a white wall, this product is 200 (!) times more reflective. Combined with a red and white or black and yellow pattern, it's an outstanding and notable product. Therefore, it is an ideal product to prevent hazardous situations and accidents. When you are looking for a photoluminescent version of this tape, please look at our range of LightLine tapes.



When to use it?

Safety Marking tape Reflective is very effective when it comes to the marking of hazardous situations on ships, buildings and situations where high reflectibility is needed. When you're looking for a product that's highly reflective and has a striking Zebra pattern in White / Red or Black / Yellow.



| Article number | Description | Color | Dimensions | Weight | IMPA |
|----------------|--------------------------------------|--------------|---------------|--------|--------|
| SMTR050R-R | Safety Marking Tape Reflective right | Red/white | 50 mm x 10 m | 0,3 kg | - |
| SMTR050R-L | Safety Marking Tape Reflective left | Red/white | 50 mm x 10 m | 0,3 kg | - |
| SMTR100R-R | Safety Marking Tape Reflective right | Red/white | 100 mm x 10 m | 0,6 kg | - |
| SMTR100R-L | Safety Marking Tape Reflective left | Red/white | 100 mm x 10 m | 0,6 kg | - |
| SMTR050B-R | Safety Marking Tape Reflective right | Yellow/black | 50 mm x 10 m | 0,3 kg | 331191 |
| SMTR050B-L | Safety Marking Tape Reflective left | Yellow/black | 50 mm x 10 m | 0,3 kg | - |
| SMTR100B-R | Safety Marking Tape Reflective right | Yellow/black | 100 mm x 10 m | 0,6 kg | 331192 |
| SMTR100B-L | Safety Marking Tape Reflective left | Yellow/black | 100 mm x 10 m | 0,6 kg | - |

Anti-Slip tape

Category: Reflective and marking tapes



What is it?

Mainly used as a product to stand out and prevent slipping, Anti-Slip tape is an ideal product in environments like staircases, walkways and areas that need to be marked. Anti-Slip tape can be used both in- and outdoors to prevent accidents and protect people against slippery surfaces. A simple product, but with extraordinary quality and durability. The tape is available in a low-profile black version, but also in a more striking Yellow / Black pattern.



When to use it?

Anti-Slip tape is a simple product; it is used to mark areas or objects that could be hazardous. It gives slippery areas that extra grip that is required to prevent accidents from happening.




| Article number | Description | Color | Dimensions | Weight |
|----------------|----------------|--------------|---------------|--------|
| AST0025BK | Anti-Slip Tape | Black | 25 mm x 18 m | 0,3 kg |
| AST0050BK | Anti-Slip Tape | Black | 50 mm x 18 m | 0,6 kg |
| AST0100BK | Anti-Slip Tape | Black | 100 mm x 18 m | 1,2 kg |
| AST0150BK | Anti-Slip Tape | Black | 150 mm x 18 m | 1,8 kg |
| AST0050YB | Anti-Slip Tape | Yellow/black | 50 mm x 10 m | 0,6 kg |
| AST0100YB | Anti-Slip Tape | Yellow/black | 100 mm x 10 m | 1,2 kg |

Floor Marking tape

Category: Reflective and marking tapes

What is it?

Ideal for warehouses and factory floors; T-ISS Floor Marking tape. This high-quality marking tape allows you to mark certain areas on your floor. For example; when you would like to mark an area where goods need to be unloaded, Floor Marking tape would be the ideal solution. The product has an extremely good durability which means you can drive it over with forklifts, pump trucks and hand trucks no problem. The tape will hold up and areas will remain highlighted.



When to use it?

A simple product with an effective purpose; marking floor areas in warehouses, factory floors and other business applications.



| Article number | Description | Color | Dimensions | Weight | Packing Unit |
|----------------|--------------------|--------|--------------|--------|--------------|
| FLT050BU | Floor Marking Tape | Blue | 50 mm x 33 m | 0,3 kg | 36 rolls |
| FLT050GN | Floor Marking Tape | Green | 50 mm x 33 m | 0,3 kg | 36 rolls |
| FLT050RD | Floor Marking Tape | Red | 50 mm x 33 m | 0,3 kg | 36 rolls |
| FLT050YE | Floor Marking Tape | Yellow | 50 mm x 33 m | 0,3 kg | 36 rolls |
| FLT050BK | Floor Marking Tape | Black | 50 mm x 33 m | 0,3 kg | 36 rolls |

Light Line Photoluminescent tape

Category: Reflective and marking tapes

What is it?

Our range of LightLine tape consists of various photoluminescent tapes that are a great, proven method to indicate escape routes. All LightLine tapes comply with the IMO and SOLAS regulations, and have a Lloyd’s Register approval. LightLine tape is offered in various reflecting qualities. Also, red, green and black striped versions are available. At last, we offer stickers that can be fixed to the tape which allows you to indicate staircases, escape routes, assembly stations and exits.




When to use it?

LightLine tape is great when you are looking for a flexible, multifunctional product instead of standard LLL products. Also, LightLine tape is a great option when you are looking for a photoluminescent version of our Reflective Zebra tape.



T-155 LightLine Tape PET



Other widths available on request

| Article number | Description | Dimensions | Quality | IMPA | ISSA |
|----------------|----------------------------|--------------|---------|------|------|
| LLTP040CN | LightLine Tape PET neutral | 40 mm x 10 m | XXL | - | - |
| LLTP050CN | LightLine Tape PET neutral | 50 mm x 10 m | XXL | - | - |
| LLTP080CN | LightLine Tape PET neutral | 80 mm x 10 m | XXL | - | - |



T-ISS LightLine tape PVC

| Article number | Description | Dimensions | Quality | IMPA | ISSA |
|----------------|----------------------------|--------------|---------|--------|---------|
| LLTV040CN | LightLine Tape PVC neutral | 40mm x 10mtr | XXL | 332014 | 4752014 |
| LLTV050CN | LightLine Tape PVC neutral | 50mm x 10mtr | XXL | - | - |
| LLTV080CN | LightLine Tape PVC neutral | 80mm x 10mtr | XXL | 332018 | - |
| LLTV040BN | LightLine Tape PVC neutral | 40mm x 10mtr | XL | 332014 | 4752014 |
| LLTV050BN | LightLine Tape PVC neutral | 50mm x 10mtr | XL | - | - |
| LLTV080BN | LightLine Tape PVC neutral | 80mm x 10mtr | XL | 332018 | - |



According to ISO 15370;
Only dead-end corridors

| Article number | Description | Dimensions | Quality | IMPA | ISSA |
|----------------|--------------------------|--------------|---------|------|------|
| LLTV040CA | LightLine Tape PVC arrow | 40mm x 10mtr | XXL | - | - |
| LLTV080CA | LightLine Tape PVC arrow | 80mm x 10mtr | XXL | - | - |
| LLTV040BA | LightLine Tape PVC arrow | 40mm x 10mtr | XL | - | - |
| LLTV080BA | LightLine Tape PVC arrow | 80mm x 10mtr | XL | - | - |



According to ISO 15370; Please note; this tape is delivered with 3x ES1032, 3x ES1033, 3x ES1004, 3x ES1005 stickers. Other symbols upon request.

| Article number | Description | Dimensions | Quality | IMPA | ISSA |
|----------------|-------------------------------------|--------------|---------|--------|---------|
| LLTV040CE | LightLine Tape PVC escape direction | 40mm x 10mtr | XXL | 332024 | 4752024 |
| LLTV050CE | LightLine Tape PVC escape direction | 50mm x 10mtr | XXL | - | - |
| LLTV080CE | LightLine Tape PVC escape direction | 80mm x 10mtr | XXL | 332028 | - |
| LLTV040BE | LightLine Tape PVC escape direction | 40mm x 10mtr | XL | 332024 | 4752024 |
| LLTV050BE | LightLine Tape PVC escape direction | 50mm x 10mtr | XL | - | - |
| LLTV080BE | LightLine Tape PVC escape direction | 80mm x 10mtr | XL | 332028 | - |



Other widths available on request

| Article number | Description | Dimensions | Quality | IMPA | ISSA |
|----------------|-------------------------------|--------------|---------|--------|---------|
| SMTV040CG | Safety Marking Tape PVC green | 40 mm x 10 m | XXL | 332034 | 4752034 |
| SMTV080CG | Safety Marking Tape PVC green | 80 mm x 10 m | XXL | 332038 | - |
| SMTV040AG | Safety Marking Tape PVC green | 40 mm x 10 m | L | 332034 | 4752034 |
| SMTV080AG | Safety Marking Tape PVC green | 80 mm x 10 m | L | 332038 | - |



Other widths available on request

| Article number | Description | Dimensions | Quality | IMPA | ISSA |
|----------------|-----------------------------|--------------|---------|--------|---------|
| SMTV040CR | Safety Marking Tape PVC red | 40 mm x 10 m | XXL | 332054 | 4752054 |
| SMTV080CR | Safety Marking Tape PVC red | 80 mm x 10 m | XXL | 332058 | - |
| SMTV040AR | Safety Marking Tape PVC red | 40 mm x 10 m | L | 332054 | 4752054 |
| SMTV080AR | Safety Marking Tape PVC red | 80 mm x 10 m | L | 332058 | - |



Other widths available on request

| Article number | Description | Dimensions | Quality | IMPA | ISSA |
|----------------|-------------------------------|--------------|---------|--------|---------|
| SMTV040CB | Safety Marking Tape PVC Black | 40 mm x 10 m | XXL | 332044 | 4752044 |
| SMTV080CB | Safety Marking Tape PVC Black | 80 mm x 10 m | XXL | 332048 | - |
| SMTV040AB | Safety Marking Tape PVC Black | 40 mm x 10 m | L | 332044 | 4752044 |
| SMTV080AB | Safety Marking Tape PVC Black | 80 mm x 10 m | L | 332048 | - |

Light Line stickers

Category: Reflective and marking tapes

What is it?

A Low Location Lighting system must be provided with symbols for escape route signs and fire-fighting equipment, in addition to the signs present at eye level. The mini symbols are self-adhesive translucent stickers which must be applied to the Low Location Lighting strips and tapes.

| Symbol | Description | Dimensions | Article number |
|---|--------------------------------|-------------|----------------|
|  | Emergency exit (left hand) | 50 x 50 mm | ES0001 |
|  | Emergency exit (right hand) | 50 x 50 mm | ES0002 |
|  | Shipboard assembly station | 50 x 50 mm | ES0004 |
|  | Escape direction, arrow (90°) | 50 x 50 mm | ES0006 |
|  | Escape direction, arrow (45°) | 50 x 50 mm | ES0007 |
|  | Escape route forward/Esc. door | 100 x 50 mm | ES1001 |
|  | Escape door opens left | 100 x 50 mm | ES1002 |
|  | Escape route to the left | 100 x 50 mm | ES1004 |
|  | Escape route to the right | 100 x 50 mm | ES1005 |
|  | Escape route downstairs left | 100 x 50 mm | ES1006 |
|  | Escape downstairs right | 100 x 50 mm | ES1007 |
|  | Escape upstairs left | 100 x 50 mm | ES1008 |
|  | Escape upstairs right | 100 x 50 mm | ES1009 |



Light Line stickers

| Symbol | Description | Dimensions | Article number |
|---|---|-------------|----------------|
|  | Assembly station forward (through door) | 100 x 50 mm | ES1030 |
|  | Assembly station left | 100 x 50 mm | ES1032 |
|  | Assembly station right | 100 x 50 mm | ES1033 |
|  | Assembly station downstairs left | 100 x 50 mm | ES1034 |
|  | Assembly station downstairs right | 100 x 50 mm | ES1035 |
|  | Assembly station upstairs left | 100 x 50 mm | ES1036 |
|  | Assembly station upstairs right | 100 x 50 mm | ES1037 |
|  | Assembly station forward/up | 100 x 50 mm | ES1038 |
|  | Lifeboat left | 100 x 50 mm | ES1052 |
|  | Lifeboat right | 100 x 50 mm | ES1053 |
|  | Escape route forward left vertical | 50 x 100 mm | ES1101 |
|  | Escape route forward right vertical | 50 x 100 mm | ES1102 |
|  | Escape route left vertical | 50 x 100 mm | ES1103 |
|  | Escape route right vertical | 50 x 100 mm | ES1104 |
|  | Assembly station forward vertical | 50 x 100 mm | ES1105 |

Light Line stickers

| Symbol | Description | Dimensions | Article number |
|---|-------------------------------------|-------------|----------------|
|  | Assembly station left vertical | 50 x 100 mm | ES1106 |
|  | Assembly station right vertical | 50 x 100 mm | ES1107 |
|  | LLL Stairs up to left | 50 x 50 mm | ES1120 |
|  | LLL Stairs up to right | 50 x 50 mm | ES1121 |
|  | Escape route forward left vertical | 50 x 200 mm | ES2501 |
|  | Escape route forward right vertical | 50 x 200 mm | ES2502 |
|  | Assembly station forward vertical | 50 x 200 mm | ES2503 |
|  | Fire extinguisher | 50 x 50 mm | FS0001 |
|  | Fire alarm call point | 50 x 50 mm | FS0002 |
|  | Fire hose reel | 50 x 50 mm | FS0003 |
|  | Unconnected fire hose | 50 x 50 mm | FS0004 |
|  | Fire hydrant | 50 x 50 mm | FC0048 |

All LLL Mini Symbols are also available as PET-X PL for use in combination with LED LLL or when fire fighting equipment is located at the opposite side of a corridor.

Pipe marking tapes

Category: Reflective and marking tapes

What is it?

Pipe marking systems can be identified easily recognisable by applying pipe marking tapes. In the maritime sector, the ISO 14726 is the most commonly used standard for uniform marking of pipelines. We offer complete colour combination markings with integrated arrows for the flow direction. Easy and quick to apply. In addition to the ISO 14726, we also supply custom-made and specific markings for the offshore market.

Pipe marking types

SINGLE COLOR PIPE MARKING

Single color pipe marking tape is a tape which needs to be combined with the correct color coding. Additionally, a flow direction tape can be added to the combination to enhance identification.



VINYL UNLAMINATED PIPE MARKING (ECONOMY-LINE)

This pipe marking tape is an economic, unlaminated vinyl. The recommended use of this tape is indoors, and can be used outdoors with a shorter lifespan compared to PolyesPro® and BASIC-LINE.



VINYL LAMINATED PIPE MARKING (BASIC-LINE)

This pipe marking tape is a standard performance vinyl sandwich manufactured according to 3M™ MCS™ (Matched Component System™) production specifications.

This tape comes with a gloss laminated finish and can be used outdoor and indoor in various types of environments.



Single Color Pipe Marking

| COLOR | DESCRIPTION | ARTICLE NUMBER | COLOR | DESCRIPTION | ARTICLE NUMBER |
|-------|----------------------|----------------|-------|----------------------|----------------|
| | Waste media | PMT050BK | | Oil other than fuel | PMT050OG |
| | Fresh water | PMT050BU | | Steam | PMT050BSR |
| | Fuel | PMT050BN | | Fire fighting | PMT050RD |
| | Sea water | PMT050GN | | Air in vent. systems | PMT050WH |
| | Non-flammable gases | PMT050GY | | Flammable gases | PMT050YE |
| | Masses (dry and wet) | PMT050MN | | Acids and alkalis | PMT050VT |
| | Flow direction | PMT050AR | | | |

Pipe marking Color coding

According ISO 14726

| | WASTE MEDIA | BASIC 100mm | BASIC 150mm | ECONOMY 100mm | ECONOMY 150mm |
|---|---------------------|--------------|--------------|---------------|---------------|
|  | Black water | PM2BKBU_PBZA | PM2BKBU_PBZB | PM2BKBU_PEZA | PM2BKBU_PEZB |
|  | Waste oil | PM2BKBN_PBZA | PM2BKBN_PBZB | PM2BKBN_PEZA | PM2BKBN_PEZB |
|  | Bilge Water | PM2BKGN_PBZA | PM2BKGN_PBZB | PM2BKGN_PEZA | PM2BKGN_PEZB |
|  | Exhaust gas | PM2BKGY_PBZA | PM2BKGY_PBZB | PM2BKGY_PEZA | PM2BKGY_PEZB |
|  | Grey water | PM2BKWH_PBZA | PM2BKWH_PBZB | PM2BKWH_PEZA | PM2BKWH_PEZB |
|  | Sewage contaminated | PM2BKYE_PBZA | PM2BKYE_PBZB | PM2BKYE_PEZA | PM2BKYE_PEZB |

| | FUEL | BASIC 100mm | BASIC 150mm | ECONOMY 100mm | ECONOMY 150mm |
|---|-------------------------|--------------|--------------|---------------|---------------|
|  | Heavy fuel oil (HFO) | PM2BNBK_PBZA | PM2BNBK_PBZB | PM2BNBK_PEZA | PM2BNBK_PEZB |
|  | Aviation fuel | PM2BNBU_PBZA | PM2BNBU_PBZB | PM2BNBU_PEZA | PM2BNBU_PEZB |
|  | Biological fuel | PM2BNVT_PBZA | PM2BNVT_PBZB | PM2BNVT_PEZA | PM2BNVT_PEZB |
|  | Gas-turbine fuel | PM2BNWH_PBZA | PM2BNWH_PBZB | PM2BNWH_PEZA | PM2BNWH_PEZB |
|  | Marine diesel oil (MDO) | PM2BNYE_PBZA | PM2BNYE_PBZB | PM2BNYE_PEZA | PM2BNYE_PEZB |

| | NON-FLAMMABLE GASSES | BASIC 100mm | BASIC 150mm | ECONOMY 100mm | ECONOMY 150mm |
|---|------------------------------------|--------------|--------------|---------------|---------------|
|  | Oxygen | PM2GYBU_PBZA | PM2GYBU_PBZB | PM2GYBU_PEZA | PM2GYBU_PEZB |
|  | Inert gas | PM2GYBN_PBZA | PM2GYBN_PBZB | PM2GYBN_PEZA | PM2GYBN_PEZB |
|  | Nitrogen | PM2GYGN_PBZA | PM2GYGN_PBZB | PM2GYGN_PEZA | PM2GYGN_PEZB |
|  | Refrigerant | PM2GYMN_PBZA | PM2GYMN_PBZB | PM2GYMN_PEZA | PM2GYMN_PEZB |
|  | Compressed air (LP) Low Pressure | PM2GYOG_PBZA | PM2GYOG_PBZB | PM2GYOG_PEZA | PM2GYOG_PEZB |
|  | Compressed air (HP) High Pressure | PM2GYRD_PBZA | PM2GYRD_PBZB | PM2GYRD_PEZA | PM2GYRD_PEZB |
|  | Control air / regulating air | PM2GYVT_PBZA | PM2GYVT_PBZB | PM2GYVT_PEZA | PM2GYVT_PEZB |
|  | Breathing air (used in submarines) | PM2GYWH_PBZA | PM2GYWH_PBZB | PM2GYWH_PEZA | PM2GYWH_PEZB |
|  | Breathing gas (used in submarines) | PM2GYYE_PBZA | PM2GYYE_PBZB | PM2GYYE_PEZA | PM2GYYE_PEZB |

| | FRESH WATER | BASIC 100mm | BASIC 150mm | ECONOMY 100mm | ECONOMY 150mm |
|---|------------------------|--------------|--------------|---------------|---------------|
|  | Fresh water, sanitary | PM2BUBN_PBZA | PM2BUBN_PBZB | PM2BUBN_PEZA | PM2BUBN_PEZB |
|  | Potable water | PM2BUGN_PBZA | PM2BUGN_PBZB | PM2BUGN_PEZA | PM2BUGN_PEZB |
|  | Distillate | PM2BUGY_PBZA | PM2BUGY_PBZB | PM2BUGY_PEZA | PM2BUGY_PEZB |
|  | Gas-turbine wash water | PM2BUOG_PBZA | PM2BUOG_PBZB | PM2BUOG_PEZA | PM2BUOG_PEZB |
|  | Feed water | PM2BUSR_PBZA | PM2BUSR_PBZB | PM2BUSR_PEZA | PM2BUSR_PEZB |
|  | Cooling fresh water | PM2BUVT_PBZA | PM2BUVT_PBZB | PM2BUVT_PEZA | PM2BUVT_PEZB |
|  | Chilled water | PM2BUWH_PBZA | PM2BUWH_PBZB | PM2BUWH_PEZA | PM2BUWH_PEZB |
|  | Condensate | PM2BUYE_PBZA | PM2BUYE_PBZB | PM2BUYE_PEZA | PM2BUYE_PEZB |

| | SEA WATER | BASIC 100mm | BASIC 150mm | ECONOMY 100mm | ECONOMY 150mm |
|---|-----------------------|--------------|--------------|---------------|---------------|
|  | Decontamination water | PM2GNBU_PBZA | PM2GNBU_PBZB | PM2GNBU_PEZA | PM2GNBU_PEZB |
|  | Sea water, sanitary | PM2GNBN_PBZA | PM2GNBN_PBZB | PM2GNBN_PEZA | PM2GNBN_PEZB |
|  | Ballast water | PM2GNVT_PBZA | PM2GNVT_PBZB | PM2GNVT_PEZA | PM2GNVT_PEZB |
|  | Cooling sea water | PM2GNYE_PBZA | PM2GNYE_PBZB | PM2GNYE_PEZA | PM2GNYE_PEZB |

| | OILS OTHER THAN FUEL | BASIC 100mm | BASIC 150mm | ECONOMY 100mm | ECONOMY 150mm |
|---|---|--------------|--------------|---------------|---------------|
|  | Thermal fluid | PM2OGBU_PBZA | PM2OGBU_PBZB | PM2OGBU_PEZA | PM2OGBU_PEZB |
|  | Lubrication oil for gas turbines | PM2OGGN_PBZA | PM2OGGN_PBZB | PM2OGGN_PEZA | PM2OGGN_PEZB |
|  | Hydraulic fluid | PM2OGGY_PBZA | PM2OGGY_PBZB | PM2OGGY_PEZA | PM2OGGY_PEZB |
|  | Lubrication oil for steam turbines | PM2OGSR_PBZA | PM2OGSR_PBZB | PM2OGSR_PEZA | PM2OGSR_PEZB |
|  | Lubrication oil for gears | PM2OGVT_PBZA | PM2OGVT_PBZB | PM2OGVT_PEZA | PM2OGVT_PEZB |
|  | Lubr. oil for internal combustion engines | PM2OGYE_PBZA | PM2OGYE_PBZB | PM2OGYE_PEZA | PM2OGYE_PEZB |

| | FLAMMABLE GASES | BASIC 100mm | BASIC 150mm | ECONOMY 100mm | ECONOMY 150mm |
|---|-----------------|--------------|--------------|---------------|---------------|
|  | Hydrogen | PM2YEBU_PBZA | PM2YEBU_PBZB | PM2YEBU_PEZA | PM2YEBU_PEZB |
|  | Acetylene | PM2YEGY_PBZA | PM2YEGY_PBZB | PM2YEGY_PEZA | PM2YEGY_PEZB |
|  | Liquid gas | PM2YEVY_PBZA | PM2YEVY_PBZB | PM2YEVY_PEZA | PM2YEVY_PEZB |

| | FIRE-FIGHTING/FIRE PROTECTION | BASIC 100mm | BASIC 150mm | ECONOMY 100mm | ECONOMY 150mm |
|---|-------------------------------|--------------|--------------|---------------|---------------|
|  | Fire-fighting water | PM2RDGN_PBZA | PM2RDGN_PBZB | PM2RDGN_PEZA | PM2RDGN_PEZB |
|  | Fire-fighting gas | PM2RDGY_PBZA | PM2RDGY_PBZB | PM2RDGY_PEZA | PM2RDGY_PEZB |
|  | Sprinkler water | PM2RDOG_PBZA | PM2RDOG_PBZB | PM2RDOG_PEZA | PM2RDOG_PEZB |
|  | Spray water | PM2RDVT_PBZA | PM2RDVT_PBZB | PM2RDVT_PEZA | PM2RDVT_PEZB |
|  | Fire-fighting powder | PM2RDWH_PBZA | PM2RDWH_PBZB | PM2RDWH_PEZA | PM2RDWH_PEZB |
|  | Fire-fighting foam | PM2RDYE_PBZA | PM2RDYE_PBZB | PM2RDYE_PEZA | PM2RDYE_PEZB |

| | NON-FLAMMABLE GASSES | BASIC 100mm | BASIC 150mm | ECONOMY 100mm | ECONOMY 150mm |
|---|-----------------------------|--------------|--------------|---------------|---------------|
|  | Discharge air | PM2WHBL_PBZA | PM2WHBL_PBZB | PM2WHBL_PEZA | PM2WHBL_PEZB |
|  | Mechanical supply air, cold | PM2WHBU_PBZA | PM2WHBU_PBZB | PM2WHBU_PEZA | PM2WHBU_PEZB |
|  | Natural exhaust air | PM2WHBN_PBZA | PM2WHBN_PBZB | PM2WHBN_PEZA | PM2WHBN_PEZB |
|  | Atmospheric air | PM2WHGN_PBZA | PM2WHGN_PBZB | PM2WHGN_PEZA | PM2WHGN_PEZB |
|  | Mechanical exhaust air | PM2WHGY_PBZA | PM2WHGY_PBZB | PM2WHGY_PEZA | PM2WHGY_PEZB |
|  | Decontaminated supply air | PM2WHMN_PBZA | PM2WHMN_PBZB | PM2WHMN_PEZA | PM2WHMN_PEZB |
|  | Mechanical recirculated air | PM2WHOG_PBZA | PM2WHOG_PBZB | PM2WHOG_PEZA | PM2WHOG_PEZB |
|  | Mechanical supply air warm | PM2WHSR_PBZA | PM2WHSR_PBZB | PM2WHSR_PEZA | PM2WHSR_PEZB |
|  | Smoke clearance | PM2WHRD_PBZA | PM2WHRD_PBZB | PM2WHRD_PEZA | PM2WHRD_PEZB |
|  | Conditioned supply air | PM2WHVT_PBZA | PM2WHVT_PBZB | PM2WHVT_PEZA | PM2WHVT_PEZB |
|  | Natural supply air | PM2WHYE_PBZA | PM2WHYE_PBZB | PM2WHYE_PEZA | PM2WHYE_PEZB |

| | STEAM | BASIC 100mm | BASIC 150mm | ECONOMY 100mm | ECONOMY 150mm |
|---|----------------------------|--------------|--------------|---------------|---------------|
|  | Steam for heating purposes | PM2SRBK_PBZA | PM2SRBK_PBZB | PM2SRBK_PEZA | PM2SRBK_PEZB |
|  | Driving steam | PM2SRGN_PBZA | PM2SRGN_PBZB | PM2SRGN_PEZA | PM2SRBK_PEZB |
|  | Exhaust system | PM2SRWH_PBZA | PM2SRWH_PBZB | PM2SRWH_PEZA | PM2SRWH_PEZB |
|  | Supply steam | PM2SRYE_PBZA | PM2SRYE_PBZB | PM2SRYE_PEZA | PM2SRYE_PEZB |



Biosoluble Heat Stop tape

Category: Insulation tapes

What is it?

If you're looking for a product that insulates heat; look no further. T-ISS Biosoluble Heat Stop Tape protects surfaces and lowers temperatures in a highly effective way. For example; a 180 °C tube will decrease to a temperature of 60 °C when T-ISS Heat Stop Tape is applied. This is an extraordinary performance compared to competitive fiber tapes that will only cool down to a temperature of 95 °C.

T-ISS Biosoluble Heat Stop Tape is a revolutionary new and environmental friendly product which was invented to replace the ceramic fiber tape in the maritime sectors. T-ISS Biosoluble Heat Stop Tape is made of a biosoluble fiber chemical composition which is different from regular ceramic fiber, the biosoluble fiber has a better performance and it is biodegradable.

T-ISS Biosoluble Heat Stop Tape is a woven fabric made of superior biosoluble fiber. This special Solastape contains about 15-18% binder materials which gives it superior heat resistance. Inwoven stainless steel wire and the fiberglass filament inside will keep the biosoluble fiber tape high temperature performance when it is used. T-ISS Heat Stop complies with the BV regulations.



When to use it?

In the maritime and offshore industry there are many occasions in which temperature reduction is desirable. Heat Stop Soluable tape drastically reduces the temperature of tubing systems and does this being an environmentally friendly product. A state-of-the-art product that's highly effective, environmentally friendly and not dangerous for your health in any way.

| Article number | Description | Dimensions | Weight | Thickness |
|----------------|--------------------|----------------|--------|-----------|
| HST050 | Heat Stop BIO Tape | 50 mm x 7,7 m | 252 gr | 3 mm |
| HST100 | Heat Stop BIO Tape | 100 mm x 3,3 m | 609 gr | 12,5 mm |

Corrosion Stop Zinc tape

Category: Anti-corrosion tapes

What is it?

The first product in our range of anti-corrosion tapes is our T-ISS Corrosion Stop Zinc tape, which is available in the sizes 25 mm, 50 mm and 100 mm. The product works as follows; when two different types of metals, for example tubing systems, are attached to each other, it is very likely rust will arise between the two. By applying T-ISS Corrosion Stop Zinc tape, the tape will have a sacrificing role in the oxidation process. Instead of the two metals that are attached to each other, the Corrosion Stop Zinc tape will oxidize and so protect the two metals. The same principle is put into practice on vessels; anodes are placed on the ship's hull. These anodes will rust instead of the hull which results in a hull that's rust-free for a longer period of time.



When to use it?

First of all, you could use Corrosion Stop Zinc tape when fixing steel structures together. When you apply Corrosion Stop Zinc tape in these situations, you will prevent galvanic corrosion and your materials will last a lot longer. Also, the fluids or goods that are transported in, for example, tubing systems, will not be exposed to corrosion. This way, the corrosion will not affect the transported product. A sacrificing product like Corrosion Stop Zinc tape could also be used in other cases; for example as an anode on a ship's hull.



| Article number | Description | Dimensions | Weight | Thickness | IMPA |
|----------------|--------------------------|---------------|---------|-----------|--------|
| CSZT025 | Corrosion Stop Zinc Tape | 25 mm x 20 m | 429 gr | 1 mm | 673521 |
| CSZT050 | Corrosion Stop Zinc Tape | 50 mm x 20 m | 771 gr | 1 mm | 673522 |
| CSZT100 | Corrosion Stop Zinc Tape | 100 mm x 20 m | 1386 gr | 1 mm | 673523 |

Rust Stop Petro tape

Category: Anti-corrosion tapes

What is it?

T-ISS Rust Stop Petro tape consists of three main items, the base being a specially designed bandage. During the production process this bandage is processed with two more items; a high-quality rust-resistant mixture between oil and grease. Combining all these items results in Rust Stop Petro tape. Tubing systems or other structures that are sensitive to rust can simply be wrapped with Rust Stop Petro tape. Due to the oil and grease mixture in the tape the oxidation process won't have a chance to start, which means the tubing or structure in question will be protected.



When to use it?

Rust Stop Petro tape is an ideal product to protect the exterior of structures. These structures must be made of steel or another type of metal. Also, Rust Stop Petro tape will protect these structures against corrosion when they are under water. Finally, harsh weather conditions won't be a problem for Rust Stop Petro tape.



| Article number | Description | Dimensions | Weight | Thickness | IMPA |
|----------------|-------------------------------|---------------|--------|-----------|--------|
| RSPT050 | Rust Stop Petro Tape (36 pcs) | 50 mm x 10 m | 0,7 kg | 1,2 mm | 812471 |
| RSPT100 | Rust Stop Petro Tape (18 pcs) | 100 mm x 10 m | 1,4 kg | 1,2 mm | 812472 |

Security Seal tape

Category: Additional tapes and specials

What is it?

Security Seal Tapes are also called warranty void labels. These are made of tamper evident destructible PET. When using this Security Seal Tape, you can quickly see if your goods have been tampered with. It shows the "OPEN VOID" hidden security message as soon as the warranty tape is removed from the surface of a carton box of other applications. These SecuSeal Tapes seal off and provide extra protection.



When to use it?

Our Security Seal Tape can be applied to a large range of surfaces including paper, card, metal, glass and many more. Void tapes are mainly used for forensic intelligence investigation, military, banking security, aviation security, medical packaging seals, electronic goods protection and other.



SECURITY SEAL - - - - - VOID IF BROKEN

Secured by _____ on _____

| Article number | Description | Dimensions | Weight | Thickness |
|----------------|-------------------------------------|--------------|--------|-----------|
| SST035DNB | Security Seal Tape - Do not break | 35 mm x 10 m | 73 gr | 25 mu |
| SST035VIB | Security Seal Tape - Void if broken | 35 mm x 10 m | 73 gr | 25 mu |
| SST035CM | Security Seal Tape (custom-made) | 35 mm x 10 m | 73 gr | 25 mu |

Hatch Cover tape

Category: Additional tapes

What is it?

It goes without saying what the purpose of Hatch Cover tape is; the product covers up hatches on your vessel. Leakage on these hatches will lead to damaging your vessel or the cargo that's being transported. Hatch Cover tape will keep moisture out and ensures a tight seal that's weather-resistant. The product has an extraordinary strength, great adhesion and is very flexible. The blue color makes it easy to recognize which will prevent accidents from happening.



When to use it?

Hatch Cover tape is used to seal and protect hatch covers so leakages that will harm your vessel or cargo will become obsolete.



| Article number | Description | Dimensions | Weight | Thickness | IMPA |
|----------------|--------------------------|---------------|--------|-----------|--------|
| HCT100 | Hatch Cover Tape (3 pcs) | 100 mm x 20 m | 4,5 kg | 2 mm | 232452 |
| HCT150 | Hatch Cover Tape (2 pcs) | 150 mm x 20 m | 7,0 kg | 2 mm | 232453 |

Barrier tape

Category: Additional tapes

What is it?

T-ISS Barrier Tape can be used for depositing, marking prohibited or dangerous places. The red/white or black/yellow barrier tape is popular because of the striking hazard colors.



When to use it?

Barrier tape comes in a convenient dispenser box which allows you to obtain the tape length you need, rip off that part, and store the dispenser box in a suitable place. Ideal for tying to fencing, cones & other fixed points.



| Article number | Description | Color | Dimensions |
|----------------|--------------|--------------|---------------|
| BT080RW | Barrier Tape | Red/white | 80 mm x 500 m |
| BT080YB | Barrier Tape | Yellow/black | 80 mm x 500 m |

Foam Mounting tape

Category: Additional tapes

What is it?

Foam Mounting tape is a no-nonsense product; it's an adhesive tape. But not just that; Foam Mounting tape is one of the strongest and sturdiest adhesive tapes on the market. It holds up to 1.8 kg / 25 mm which makes it an ideal product to permanently fix objects to a surface. Foam Mounting tape has a great chemical resistance which allows the tape to set in harsh weather and / or outdoor conditions. The product has a protective layer which means you can fix Foam Mounting tape to an object, and stick it on a surface later.



When to use it?

When it comes down to fixing objects as signs, nameplates, trims and emblems permanently to a surface, Foam Mounting tape is the way to go. It's also possible to apply a Foam Mounting tape backing to a product that can be used on a later moment.



Other widths available on request in 10 and 50 m length

| Article number | Description | Dimensions | Weight | Thickness |
|----------------|--------------------|---------------|---------|-----------|
| FMT10-020 | Foam Mounting Tape | 20 mm x 10 m | 0,07 kg | 1 mm |
| FMT10-040 | Foam Mounting Tape | 40 mm x 10 m | 0,10 kg | 1 mm |
| FMT10-050 | Foam Mounting Tape | 50 mm x 10 m | 0,12 kg | 1 mm |
| FMT50-150 | Foam Mounting Tape | 150 mm x 50 m | 1,80 kg | 1 mm |

Emergency Leak And Seal repair kit

Category: Additional tapes

What is it?

The T-ISS Emergency Leak and Seal repair kit is a complete response kit that enables immediate action when situations demand it. Leakage on flanges, on piping or even a leaking drum can be sealed quickly and efficient. A wrench and water are all that's needed to use the ELS kit, no special training is required, but make sure the crew is familiar with the kit and working procedures. The ELS kit is versatile; use it for hazardous and non-hazardous chemical service.



The contents of the ELS kit:

- Sturdy plastic carrying box
- Rubber hammer
- Utility knife
- Wooden pins (8 pcs)
- Wooden wedges (8 pcs)
- Speed steel stick
- Fast plastic stick
- Rubber sheet (500 x 500 mm)
- Drip Stop Tape (3 sizes: 25/38/50 mm)
- Spray Control Tape (50 mm)
- Spray Stop Tape (35 mm)
- Pipe Repair Tape (3 sizes: 2",3",4")
- 3 pair of gloves



| Article number | Description | Dimensions | Weight | IMPA |
|----------------|------------------------------------|--------------------|--------|--------|
| ELS-KIT | Emergency Leak and Seal repair kit | 475 x 215 x 265 mm | 7,2 kg | 812368 |

T-ISS Safety Suppliers

T-ISS, established in 2003, is an ISO9001:2015 approved company. The people behind the company have decades of experience in the Marine Industry. We perfectly understand the importance of reliable, accessible and price quality ratio products, services and turn-key solutions. Therefore, we primarily deal with the Marine Industry and can provide the fastest and most comprehensive offers on Solas Safety Products, IMO Safety Signs and Posters, Low Location Lighting, Solas Tapes and Pipe Marking Tapes.

We are extremely proud to be one of the leading players in the Marine Industry and we are dedicated to achieve much higher goals. Our long tradition of thinking in terms of solutions and our strategic and innovative approach of working, helps us in our ambition to be the market leader.

We have a continuous focus on innovation and product development. Quality and the best available technology are our primary goals to meet your needs and demands, both commercially and operationally.





T-ISS
Safety Suppliers

INQUIRIES

Are you interested to learn more about our tapes, are you looking to purchase our tapes or become our distributor? Please feel free to contact us.

SALES DEPARTMENT

T-ISS Safety Suppliers
Helmkamp 56
7091 HR Dinxperlo
The Netherlands

T +31 (0) 315 65 60 60
E sales@t-iss.com
I www.t-iss.com

HEADOFFICE & WAREHOUSE

T-ISS Safety Suppliers
Storkstraat 1 - 3
2722 NN Zoetermeer
The Netherlands

T +31 (0) 79 330 1000
E sales@t-iss.com
I www.t-iss.com



Visit our website:
T-ISS.COM

© COPYRIGHT T-ISS B.V. - all rights reserved

T-ISS
Safety Suppliers