

Application of: Council Directive 96/98/EC of 20 December 1996 on Marine Equipment as amended by directive 2014/93/EU, issued as "Forskrift om Skipsutstyr" by the Norwegian Maritime Directorate. This Certificate is issued by DNV GL AS under the authority of the Government of the Kingdom of Norway.

### This is to certify:

#### That the Low-Location Lighting Systems

with type designation(s)  
**Safe Sign Light Line XL, XXL and XXX**

Issued to

**T-ISS**  
**Dinxperlo, Netherlands**

is found to comply with the requirements in the following Regulations/Standards:

**Annex A.1, item No. A.1/3.40 and Annex B, Module B in the Directive. SOLAS 74 as amended, Regulation II-2/13 and FSS Code 11**

Further details of the equipment and conditions for certification are given overleaf.

This Certificate is valid until **2021-04-13**.

Issued at **Høvik** on **2016-04-14**

DNV GL local station:  
**Rotterdam, Product Certification  
/Verification**



for **DNV GL AS**

Approval Engineer:  
**Piotr Orzechowski**

Notified Body  
No.: **0575**

**Vidar Dolonen**  
**Head of Notified Body**



The mark of conformity may only be affixed to the above type approved equipment and a Manufacturer's Declaration of Conformity issued when the production-surveillance module (D, E or F) of Annex B of the MED is fully complied with and controlled by a written inspection agreement with a Notified Body. The product liability rests with the manufacturer or his representative in accordance with Council Directive 96/98/EC, as amended.

This certificate is valid for equipment, which is conform to the approved type. The manufacturer shall inform DNV GL AS of any changes to the approved equipment.

Should the specified regulations or standards be amended during the validity of this certificate, the product is to be re-approved before being placed on board a vessel to which the amended regulations or standards apply.

## Product description

"Safe Sign Light Line XL, XXL and XXX"

Photoluminescent Low Location Lighting systems made of PVC Sheet - PVC Foil - Aluminium or Modified APET.

## Application/Limitation

Approved for use as low-location lighting system, escape route signs and fire equipment location marking.

Extent of arrangement, placing, width and luminance of the photoluminescent strips based on the ambient light are to be in accordance with IMO Res. A.752 (18) or ISO 15370:2010 and is to be approved by the administration or competent authority in each case/project.

Photoluminescent strips having a width less than 75 mm shall only be used if the luminance is increased to compensate for the reduced width in accordance with Ch. 7.1 of IMO Res. A.752 (18) or Ch. 4.2.2 & Annex D of ISO 15370:2010.

Each product is to be supplied with its manual for installation, use and maintenance.

## Type Examination documentation

Test report (certificate) Nos.:

- 5798.8-M23-4180-1088/10 (XL)
  - 5798.9-M23-4180-1088/10 (XXL)
  - 5798.7-M23-4180-1088/10 (XXX)
- all dated 13.01.2011 from Photometry and Radiometry Laboratory of Radiation and Influence Quantities Department at Central office of Measures, Warsaw, Poland.

Test report Nos.:

- 309599 (PVC Light line / Modified PVC)
  - 309600 (APET Light line / Modified APET)
  - 309601 (Aluminium Light line / Light line Aluminium)
  - 309602 (PVC Foil Light line / Light line PVC Foil)
- all dated 4 August 2011 from Exova Warringtonfire, Warrington, UK.

## Tests carried out

Tested according to ISO 15370:2010 and IEC 60092-101.

## Marking of product

The product or packing is to be marked with name of manufacturer, type designation and the MED mark of conformity.